

ACI D4 Notice

1.0.0

Section: 1.1

Name: data
Full Path: aciD4Notice.data
Type: String Value
Is Required?: Yes
Minimum Length:
Maximum Length:

Sample JSON:

```
"data": "ACI_D4_NOTICE"
```

Description:

Section: 1.2

Name:	cargoControlNumber
Full Path:	aciD4Notice.cargoControlNumber
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"cargoControlNumber": "1234567890"
```

Description:

Section: 1.3

Name:	noticeType
Full Path:	aciD4Notice.noticeType
Type:	Object
Is Required?:	Yes

Sample JSON:

```
"noticeType": {  
  "code": "0013",  
  "description": "Released"  
}
```

Description:

Section: 1.3.1

Name:	code
Full Path:	aciD4Notice.noticeType.code
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"code": "0013"
```

Description:

Section: 1.3.2

Name:	description
Full Path:	aciD4Notice.noticeType.description
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"description": "Released"
```

Description:

Section: 1.4

Name:	port
Full Path:	aciD4Notice.port
Type:	Object
Is Required?:	No

Sample JSON:

```
"port": {  
  "number": "0453",  
  "name": "Windsor Ambassador Bridge"  
}
```

Description:

Section: 1.4.1

Name:	number
Full Path:	aciD4Notice.port.number
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"number": "0453"
```

Description:

Section: 1.4.2

Name:	name
Full Path:	aciD4Notice.port.name
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"name": "Windsor Ambassador Bridge"
```

Description:

Section: 1.5

Name:	subLocation
Full Path:	aciD4Notice.subLocation
Type:	Object
Is Required?:	No

Sample JSON:

```
"subLocation": {  
  "code": "9453",  
  "name": "Windsor Ambassador Bridge",  
  "address": {  
    "addressLine": "212 Parkwood Avenue",  
    "city": "Fennario",  
    "stateProvince": "ON",  
    "stateProvinceName": "Ontario",  
    "country": "CA",  
    "countryName": "Canada",  
    "postalCode": "H7G3H6"  
  },  
  "portLocation": {  
    "number": "0453",  
    "name": "Windsor Ambassador Bridge"  
  }  
}
```

Description:

Section: 1.5.1

Name:	code
Full Path:	aciD4Notice.subLocation.code
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"code": "9453"
```

Description:

Section: 1.5.2

Name:	name
Full Path:	aciD4Notice.subLocation.name
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"name": "Windsor Ambassador Bridge"
```

Description:

Section: 1.5.3

Name:	address
Full Path:	aciD4Notice.subLocation.address
Type:	Object
Is Required?:	No

Sample JSON:

```
"address": {  
  "addressLine": "212 Parkwood Avenue",  
  "city": "Fennario",  
  "stateProvince": "ON",  
  "stateProvinceName": "Ontario",  
  "country": "CA",  
  "countryName": "Canada",  
  "postalCode": "H7G3H6"  
}
```

Description:

Section: 1.5.3.1

Name:	addressLine
Full Path:	aciD4Notice.subLocation.address.addressLine
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"addressLine": "212 Parkwood Avenue"
```

Description:

Section: 1.5.3.2

Name:	city
Full Path:	aciD4Notice.subLocation.address.city
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"city": "Fennario"
```

Description:

Section: 1.5.3.3

Name:	stateProvince
Full Path:	aciD4Notice.subLocation.address.stateProvince
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"stateProvince": "ON"
```

Description:

Section: 1.5.3.4

Name:	stateProvinceName
Full Path:	aciD4Notice.subLocation.address.stateProvinceName
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"stateProvinceName": "Ontario"
```

Description:

Section: 1.5.3.5

Name:	country
Full Path:	aciD4Notice.subLocation.address.country
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"country": "CA"
```

Description:

Section: 1.5.3.6

Name:	countryName
Full Path:	aciD4Notice.subLocation.address.countryName
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"countryName": "Canada"
```

Description:

Section: 1.5.3.7

Name:	postalCode
Full Path:	aciD4Notice.subLocation.address.postalCode
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"postalCode": "H7G3H6"
```

Description:

Section: 1.5.4

Name:	portLocation
Full Path:	aciD4Notice.subLocation.portLocation
Type:	Object
Is Required?:	No

Sample JSON:

```
"portLocation": {  
  "number": "0453",  
  "name": "Windsor Ambassador Bridge"  
}
```

Description:

Section: 1.5.4.1

Name:	number
Full Path:	aciD4Notice.subLocation.portLocation.number
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"number": "0453"
```

Description:

Section: 1.5.4.2

Name:	name
Full Path:	aciD4Notice.subLocation.portLocation.name
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"name": "Windsor Ambassador Bridge"
```

Description:

Section: 1.6

Name:	recipient
Full Path:	aciD4Notice.recipient
Type:	Object
Is Required?:	No

Sample JSON:

```
"recipient": {
  "reference": "SSSS",
  "referenceType": {
    "code": "CA",
    "description": "Carrier"
  },
  "subLocation": {
    "code": "9453",
    "name": "Windsor Ambassador Bridge",
    "address": {
      "addressLine": "212 Parkwood Avenue",
      "city": "Fennario",
      "stateProvince": "ON",
      "stateProvinceName": "Ontario",
      "country": "CA",
      "countryName": "Canada",
      "postalCode": "H7G3H6"
    }
  },
  "portLocation": {
    "number": "0453",
    "name": "Windsor Ambassador Bridge"
  }
}
```

Description:

Section: 1.6.1

Name:	reference
Full Path:	aciD4Notice.recipient.reference
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"reference": "SSSS"
```

Description:

Section: 1.6.2

Name:	referenceType
Full Path:	aciD4Notice.recipient.referenceType
Type:	Object
Is Required?:	Yes

Sample JSON:

```
"referenceType": {  
  "code": "CA",  
  "description": "Carrier"  
}
```

Description:

Section: 1.6.2.1

Name:	code
Full Path:	aciD4Notice.recipient.referenceType.code
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"code": "CA"
```

Description:

Section: 1.6.2.2

Name:	description
Full Path:	aciD4Notice.recipient.referenceType.description
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"description": "Carrier"
```

Description:

Section: 1.6.3

Name:	subLocation
Full Path:	aciD4Notice.recipient.subLocation
Type:	Object
Is Required?:	Yes

Sample JSON:

```
"subLocation": {
  "code": "9453",
  "name": "Windsor Ambassador Bridge",
  "address": {
    "addressLine": "212 Parkwood Avenue",
    "city": "Fennario",
    "stateProvince": "ON",
    "stateProvinceName": "Ontario",
    "country": "CA",
    "countryName": "Canada",
    "postalCode": "H7G3H6"
  },
  "portLocation": {
    "number": "0453",
    "name": "Windsor Ambassador Bridge"
  }
}
```

Description:

Section: 1.6.3.1

Name: code
Full Path: aciD4Notice.recipient.subLocation.code
Type: String Value
Is Required?: Yes
Minimum Length:
Maximum Length:

Sample JSON:

```
"code": "9453"
```

Description:

Section: 1.6.3.2

Name: name
Full Path: aciD4Notice.recipient.subLocation.name
Type: String Value
Is Required?: No
Minimum Length:
Maximum Length:

Sample JSON:

```
"name": "Windsor Ambassador Bridge"
```

Description:

Section: 1.6.3.3

Name:	address
Full Path:	aciD4Notice.recipient.subLocation.address
Type:	Object
Is Required?:	No

Sample JSON:

```
"address": {  
  "addressLine": "212 Parkwood Avenue",  
  "city": "Fennario",  
  "stateProvince": "ON",  
  "stateProvinceName": "Ontario",  
  "country": "CA",  
  "countryName": "Canada",  
  "postalCode": "H7G3H6"  
}
```

Description:

Section: 1.6.3.3.1

Name:	addressLine
Full Path:	aciD4Notice.recipient.subLocation.address.addressLine
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"addressLine": "212 Parkwood Avenue"
```

Description:

Section: 1.6.3.3.2

Name:	city
Full Path:	aciD4Notice.recipient.subLocation.address.city
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"city": "Fennario"
```

Description:

Section: 1.6.3.3.3

Name: stateProvince
Full Path: aciD4Notice.recipient.subLocation.address.stateProvince
Type: String Value
Is Required?: No
Minimum Length:
Maximum Length:

Sample JSON:

```
"stateProvince": "ON"
```

Description:

Section: 1.6.3.3.4

Name:	stateProvinceName
Full Path:	aciD4Notice.recipient.subLocation.address.stateProvinceName
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"stateProvinceName": "Ontario"
```

Description:

Section: 1.6.3.3.5

Name:	country
Full Path:	aciD4Notice.recipient.subLocation.address.country
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"country": "CA"
```

Description:

Section: 1.6.3.3.6

Name:	countryName
Full Path:	aciD4Notice.recipient.subLocation.address.countryName
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"countryName": "Canada"
```

Description:

Section: 1.6.3.3.7

Name:	postalCode
Full Path:	aciD4Notice.recipient.subLocation.address.postalCode
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"postalCode": "H7G3H6"
```

Description:

Section: 1.6.3.4

Name:	portLocation
Full Path:	aciD4Notice.recipient.subLocation.portLocation
Type:	Object
Is Required?:	No

Sample JSON:

```
"portLocation": {  
  "number": "0453",  
  "name": "Windsor Ambassador Bridge"  
}
```

Description:

Section: 1.6.3.4.1

Name:	number
Full Path:	aciD4Notice.recipient.subLocation.portLocation.number
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"number": "0453"
```

Description:

Section: 1.6.3.4.2

Name:	name
Full Path:	aciD4Notice.recipient.subLocation.portLocation.name
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"name": "Windsor Ambassador Bridge"
```

Description:

Section: 1.7

Name:	dateReceived
Full Path:	aciD4Notice.dateReceived
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"dateReceived": "2023-04-05 04:55:12"
```

Description:

Section: 1.8

Name:	cbsaProcessingDate
Full Path:	aciD4Notice.cbsaProcessingDate
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"cbsaProcessingDate": "2023-04-06 05:55:12"
```

Description:

Section: 1.9

Name: aciShipmentProperties
Full Path: aciD4Notice.aciShipmentProperties
Type: Object
Is Required?: No

Sample JSON:

```
"aciShipmentProperties": {  
  "cbsaDocumentType": {  
    "category": {  
      "code": "P",  
      "description": "AQ - Paper"  
    },  
    "code": "P",  
    "description": "AQ - Paper"  
  },  
  "cbsaModeOfTransport": {  
    "code": "3",  
    "description": "Highway"  
  },  
  "cbsaProcessType": {  
    "code": "1",  
    "description": "EDI"  
  },  
  "cbsaMovementType": {  
    "code": "3",  
    "description": "In-transit"  
  },  
  "isCsa": true,  
  "isConsolidation": false  
}
```

Description:

Section: 1.9.1

Name:	cbsaDocumentType
Full Path:	aciD4Notice.aciShipmentProperties.cbsaDocumentType
Type:	Object
Is Required?:	Yes

Sample JSON:

```
"cbsaDocumentType": {  
  "category": {  
    "code": "P",  
    "description": "AQ - Paper"  
  },  
  "code": "P",  
  "description": "AQ - Paper"  
}
```

Description:

Section: 1.9.1.1

Name:	category
Full Path:	aciD4Notice.aciShipmentProperties.cbsaDocumentType.category
Type:	Object
Is Required?:	Yes

Sample JSON:

```
"category": {  
  "code": "P",  
  "description": "AQ - Paper"  
}
```

Description:

Section: 1.9.1.1.1

Name:	code
Full Path:	aciD4Notice.aciShipmentProperties.cbsaDocumentType.category.code
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"code": "P"
```

Description:

Section: 1.9.1.1.2

Name:	description
Full Path:	aciD4Notice.aciShipmentProperties.cbsaDocumentType.category.description
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"description": "AQ - Paper"
```

Description:

Section: 1.9.1.2

Name:	code
Full Path:	aciD4Notice.aciShipmentProperties.cbsaDocumentType.code
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"code": "P"
```

Description:

Section: 1.9.1.3

Name:	description
Full Path:	aciD4Notice.aciShipmentProperties.cbsaDocumentType.description
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"description": "AQ - Paper"
```

Description:

Section: 1.9.2

Name:	cbsaModeOfTransport
Full Path:	aciD4Notice.aciShipmentProperties.cbsaModeOfTransport
Type:	Object
Is Required?:	Yes

Sample JSON:

```
"cbsaModeOfTransport": {  
  "code": "3",  
  "description": "Highway"  
}
```

Description:

Section: 1.9.2.1

Name: code
Full Path: aciD4Notice.aciShipmentProperties.cbsaModeOfTransport.code
Type: String Value
Is Required?: No
Minimum Length:
Maximum Length:

Sample JSON:

```
"code": "3"
```

Description:

Section: 1.9.2.2

Name:	description
Full Path:	aciD4Notice.aciShipmentProperties.cbsaModeOfTransport.description
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"description": "Highway"
```

Description:

Section: 1.9.3

Name:	cbsaProcessType
Full Path:	aciD4Notice.aciShipmentProperties.cbsaProcessType
Type:	Object
Is Required?:	Yes

Sample JSON:

```
"cbsaProcessType": {  
  "code": "1",  
  "description": "EDI"  
}
```

Description:

Section: 1.9.3.1

Name:	code
Full Path:	aciD4Notice.aciShipmentProperties.cbsaProcessType.code
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"code": "1"
```

Description:

Section: 1.9.3.2

Name:	description
Full Path:	aciD4Notice.aciShipmentProperties.cbsaProcessType.description
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"description": "EDI"
```

Description:

Section: 1.9.4

Name:	cbsaMovementType
Full Path:	aciD4Notice.aciShipmentProperties.cbsaMovementType
Type:	Object
Is Required?:	Yes

Sample JSON:

```
"cbsaMovementType": {  
  "code": "3",  
  "description": "In-transit"  
}
```

Description:

Section: 1.9.4.1

Name:	code
Full Path:	aciD4Notice.aciShipmentProperties.cbsaMovementType.code
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"code": "3"
```

Description:

Section: 1.9.4.2

Name:	description
Full Path:	aciD4Notice.aciShipmentProperties.cbsaMovementType.description
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"description": "In-transit"
```

Description:

Section: 1.9.5

Name:	isCsa
Full Path:	aciD4Notice.aciShipmentProperties.isCsa
Type:	Boolean Value
Is Required?:	No

Sample JSON:

```
"isCsa": true
```

Description:

Section: 1.9.6

Name:	isConsolidation
Full Path:	aciD4Notice.aciShipmentProperties.isConsolidation
Type:	Boolean Value
Is Required?:	No

Sample JSON:

```
"isConsolidation": false
```

Description:

Section: 1.10

Name:	transactionNumber
Full Path:	aciD4Notice.transactionNumber
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"transactionNumber": "123456789"
```

Description:

Section: 1.11

Name: specialInstructions
Full Path: aciD4Notice.specialInstructions
Type: String Value
Is Required?: No
Minimum Length:
Maximum Length:

Sample JSON:

```
"specialInstructions": "Special Instructions"
```

Description:

Section: 1.12

Name: transactionProperties
Full Path: aciD4Notice.transactionProperties
Type: Object
Is Required?: No

Sample JSON:

```
"transactionProperties": {  
  "cbsaDocumentType": {  
    "category": {  
      "code": "P",  
      "description": "AQ - Paper"  
    },  
    "code": "P",  
    "description": "AQ - Paper"  
  },  
  "cbsaModeOfTransport": {  
    "code": "3",  
    "description": "Highway"  
  },  
  "cbsaProcessType": {  
    "code": "1",  
    "description": "EDI"  
  },  
  "cbsaMovementType": {  
    "code": "3",  
    "description": "In-transit"  
  },  
  "isCsa": true,  
  "isConsolidation": false  
}
```

Description:

Section: 1.12.1

Name:	cbsaDocumentType
Full Path:	aciD4Notice.transactionProperties.cbsaDocumentType
Type:	Object
Is Required?:	Yes

Sample JSON:

```
"cbsaDocumentType": {  
  "category": {  
    "code": "P",  
    "description": "AQ - Paper"  
  },  
  "code": "P",  
  "description": "AQ - Paper"  
}
```

Description:

Section: 1.12.1.1

Name:	category
Full Path:	aciD4Notice.transactionProperties.cbsaDocumentType.category
Type:	Object
Is Required?:	Yes

Sample JSON:

```
"category": {  
  "code": "P",  
  "description": "AQ - Paper"  
}
```

Description:

Section: 1.12.1.1.1

Name:	code
Full Path:	aciD4Notice.transactionProperties.cbsaDocumentType.category.code
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"code": "P"
```

Description:

Section: 1.12.1.1.2

Name:	description
Full Path:	aciD4Notice.transactionProperties.cbsaDocumentType.category.description
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"description": "AQ - Paper"
```

Description:

Section: 1.12.1.2

Name:	code
Full Path:	aciD4Notice.transactionProperties.cbsaDocumentType.code
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"code": "P"
```

Description:

Section: 1.12.1.3

Name:	description
Full Path:	aciD4Notice.transactionProperties.cbsaDocumentType.description
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"description": "AQ - Paper"
```

Description:

Section: 1.12.2

Name:	cbsaModeOfTransport
Full Path:	aciD4Notice.transactionProperties.cbsaModeOfTransport
Type:	Object
Is Required?:	Yes

Sample JSON:

```
"cbsaModeOfTransport": {  
  "code": "3",  
  "description": "Highway"  
}
```

Description:

Section: 1.12.2.1

Name:	code
Full Path:	aciD4Notice.transactionProperties.cbsaModeOfTransport.code
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"code": "3"
```

Description:

Section: 1.12.2.2

Name:	description
Full Path:	aciD4Notice.transactionProperties.cbsaModeOfTransport.description
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"description": "Highway"
```

Description:

Section: 1.12.3

Name:	cbsaProcessType
Full Path:	aciD4Notice.transactionProperties.cbsaProcessType
Type:	Object
Is Required?:	Yes

Sample JSON:

```
"cbsaProcessType": {  
  "code": "1",  
  "description": "EDI"  
}
```

Description:

Section: 1.12.3.1

Name: code
Full Path: aciD4Notice.transactionProperties.cbsaProcessType.code
Type: String Value
Is Required?: No
Minimum Length:
Maximum Length:

Sample JSON:

```
"code": "1"
```

Description:

Section: 1.12.3.2

Name:	description
Full Path:	aciD4Notice.transactionProperties.cbsaProcessType.description
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"description": "EDI"
```

Description:

Section: 1.12.4

Name:	cbsaMovementType
Full Path:	aciD4Notice.transactionProperties.cbsaMovementType
Type:	Object
Is Required?:	Yes

Sample JSON:

```
"cbsaMovementType": {  
  "code": "3",  
  "description": "In-transit"  
}
```

Description:

Section: 1.12.4.1

Name:	code
Full Path:	aciD4Notice.transactionProperties.cbsaMovementType.code
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"code": "3"
```

Description:

Section: 1.12.4.2

Name:	description
Full Path:	aciD4Notice.transactionProperties.cbsaMovementType.description
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"description": "In-transit"
```

Description:

Section: 1.12.5

Name:	isCsa
Full Path:	aciD4Notice.transactionProperties.isCsa
Type:	Boolean Value
Is Required?:	No

Sample JSON:

```
"isCsa": true
```

Description:

Section: 1.12.6

Name:	isConsolidation
Full Path:	aciD4Notice.transactionProperties.isConsolidation
Type:	Boolean Value
Is Required?:	No

Sample JSON:

```
"isConsolidation": false
```

Description:

Section: 1.13

Name: containerNumbers
Full Path: aciD4Notice.containerNumbers
Type: Array<String>
Is Required?: No
Minimum Length (of element in array):
Maximum Length (of element in array):

Sample JSON:

```
"containerNumbers": [ "123456789", "987654321" ]
```

Description:

Section: 1.14

Name:	companyKey
Full Path:	aciD4Notice.companyKey
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"companyKey": "c-9000-2bcd8ae5954e0c48"
```

Description:

Section: 1.15

Name:	houseBillCloseReferenceNumber
Full Path:	aciD4Notice.houseBillCloseReferenceNumber
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"houseBillCloseReferenceNumber": "8000123456789"
```

Description:

Section: 1.16

Name: aciDeconsolidationReferences
Full Path: aciD4Notice.aciDeconsolidationReferences
Type: Array<JsonObject>
Is Required?: Yes

Sample JSON:

```
[
  {
    "reference": "123456789",
    "properties": {
      "cbsaDocumentType": {
        "categoryCode": "R",
        "code": "A"
      },
      "cbsaModeOfTransport": "4",
      "cbsaProcessType": "1",
      "cbsaMovementType": "1",
      "isCsa": false,
      "isConsolidation": true
    }
  }
]
```

Description:

Section: 1.16.1

Name:	aciDeconsolidationReference
Full Path:	aciD4Notice.aciDeconsolidationReferences.aciDeconsolidationReference
Type:	Object
Is Required?:	Yes

Sample JSON:

```
{
  "reference": "123456789",
  "properties": {
    "cbsaDocumentType": {
      "categoryCode": "R",
      "code": "A"
    },
    "cbsaModeOfTransport": "4",
    "cbsaProcessType": "1",
    "cbsaMovementType": "1",
    "isCsa": false,
    "isConsolidation": true
  }
}
```

Description:

Section: 1.16.1.1

Name:	reference
Full Path:	aciD4Notice.aciDeconsolidationReferences.aciDeconsolidationReference.reference
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"reference": "123456789"
```

Description:

Section: 1.16.1.2

Name:	properties
Full Path:	aciD4Notice.aciDeconsolidationReferences.aciDeconsolidationReference.properties
Type:	Object
Is Required?:	No

Sample JSON:

```
"properties": {
  "cbsaDocumentType": {
    "categoryCode": "R",
    "code": "A"
  },
  "cbsaModeOfTransport": "4",
  "cbsaProcessType": "1",
  "cbsaMovementType": "1",
  "isCsa": false,
  "isConsolidation": true
}
```

Description:

Section: 1.16.1.2.1

Name:	cbsaDocumentType
Full Path:	aciD4Notice.aciDeconsolidationReferences.aciDeconsolidationReference.properties.cbsaDocumentType
Type:	Object
Is Required?:	Yes

Sample JSON:

```
"cbsaDocumentType": {  
  "categoryCode": "R",  
  "code": "A"  
}
```

Description:

Section: 1.16.1.2.1.1

Name:	categoryCode
Full Path:	aciD4Notice.aciDeconsolidationReferences.aciDeconsolidationReference.properties.cbsaDocumentType.categoryCode
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"categoryCode": "R"
```

Description:

Section: 1.16.1.2.1.2

Name:	code
Full Path:	aciD4Notice.aciDeconsolidationReferences.aciDeconsolidationReference.properties.cbsaDocumentType.code
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"code": "A"
```

Description:

Section: 1.16.1.2.2

Name:	cbsaModeOfTransport
Full Path:	aciD4Notice.aciDeconsolidationReferences.aciDeconsolidationReference.properties.cbsaModeOfTransport
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"cbsaModeOfTransport": "4"
```

Description:

Section: 1.16.1.2.3

Name:	cbsaProcessType
Full Path:	aciD4Notice.aciDeconsolidationReferences.aciDeconsolidationReference.properties.cbsaProcessType
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"cbsaProcessType": "1"
```

Description:

Section: 1.16.1.2.4

Name:	cbsaMovementType
Full Path:	aciD4Notice.aciDeconsolidationReferences.aciDeconsolidationReference.properties.cbsaMovementType
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"cbsaMovementType": "1"
```

Description:

Section: 1.16.1.2.5

Name:	isCsa
Full Path:	aciD4Notice.aciDeconsolidationReferences.aciDeconsolidationReference.properties.isCsa
Type:	Boolean Value
Is Required?:	No

Sample JSON:

```
"isCsa": false
```

Description:

Section: 1.16.1.2.6

Name:	isConsolidation
Full Path:	aciD4Notice.aciDeconsolidationReferences.aciDeconsolidationReference.properties.isConsolidation
Type:	Boolean Value
Is Required?:	No

Sample JSON:

```
"isConsolidation": true
```

Description:

Section: 1.17

Name:	isFastLaneEligible
Full Path:	aciD4Notice.isFastLaneEligible
Type:	Boolean Value
Is Required?:	Yes

Sample JSON:

```
"isFastLaneEligible": true
```

Description:

Section: 1.18

Name:	fastLanePort
Full Path:	aciD4Notice.fastLanePort
Type:	Object
Is Required?:	Yes

Sample JSON:

```
"fastLanePort": {  
  "number": "0453",  
  "name": "Windsor Ambassador Bridge"  
}
```

Description:

Section: 1.18.1

Name:	number
Full Path:	aciD4Notice.fastLanePort.number
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"number": "0453"
```

Description:

Section: 1.18.2

Name:	name
Full Path:	aciD4Notice.fastLanePort.name
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"name": "Windsor Ambassador Bridge"
```

Description:

Section: 1.19

Name:	aciTripNumber
Full Path:	aciD4Notice.aciTripNumber
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"aciTripNumber": "123456789"
```

Description: